

Colonic Stent Discharge Advice

Information for patients, relatives and carers

For more information, please contact:

Endoscopy Unit

York Hospital

Tel: 01904 726694

The York Hospital, Wigginton Road, York, YO31 8HE

Scarborough Hospital Tel: 01723 385141

Woodlands Drive, Scarborough, YO12 6QL

Contents	Page
What should I expect after my examination?	3
Important Information about sedation	4
What about my results or further appointments?	6
Who should I contact if I have any concerns?	6
Tell us what you think of this leaflet	7
Teaching, training and research	7
Patient Advice and Liaison Service (PALS)	7
Leaflets in alternative languages or formats	8

We hope you find this information useful following the insertion of a Colonic Stent.

What should I expect after my examination?

You may experience some bleeding from your bowel in the first two days after insertion, but this should stop. The bowel may feel uncomfortable, possibly painful for up to three days. Please ask for painkillers if you need them.

You will be able to go home once the doctors are happy that the stent is in the correct position and that the bowel is working again.

It is important to follow dietary guidelines, maintaining an adequate fluid intake. It generally helps to eat a low fibre diet.

A daily dose of softening laxative may be recommended to help the bowel motions remain loose and easy to pass.

Following the stent insertion, monitor your bowel function and report any new episodes of pain and/or bleeding.

Important Information about sedation

If you had sedation, it may take up to 24 hours to wear off; you may feel drowsy and be forgetful.

It is essential that you have someone to accompany you home unless you have had no sedative drugs or only Entonox.

Please see the list of medication below to help you identify if you need an accompanying adult to take you home:

1. Midazolam (sedative)

You will need adult supervision, recommended for 24 hours and a minimum of three hours. Avoid using public transport. You must not drive, operate machinery, drink alcohol, return to work or sign legal documents for 24 hours.

2. Fentanyl (strong pain relief)

You will need adult supervision if you are discharged before one hour after having your procedure. You will not need adult supervision if discharged over an hour after your procedure. Avoid public using public transport unless accompanied by an adult. You must not drive or operate machinery for 24 hours.

3. Midazolam + Fentanyl

You will need adult supervision, recommended for 24 hours and a minimum of four hours. Avoid using public transport. You must not Drive, operate machinery, drink alcohol, return to work or sign legal documents for 24 hours.

4. Entonox (Gas and Air)

You will be allowed to leave the unit 30 minutes after your procedure without adult supervision. You can then use public transport and drive. There are no other restrictions after this medication.

What about my results or further appointments?

If you require a further appointment, your discharge nurse will inform you of this before you go home. We will send detailed results of the procedure to your GP within the next two to three weeks.

Who should I contact if I have any concerns?

In the first 24 hours after your examination, please contact the Endoscopy Unit on York 01904 726694 or Scarborough 01723 385141 between the hours of 8am and 6pm.

After 6pm, please telephone the hospital on York 01904 631313 or Scarborough 01723 342153 and ask for the on call surgical registrar.

After 24 hours, please contact your own GP.

Tell us what you think of this leaflet

We hope that you found this leaflet helpful. If you would like to tell us what you think, please contact: The Endoscopy Unit, The York Hospital, Wigginton Road, York, YO31 8HE, telephone 01904 726694 or The Endoscopy Unit, Scarborough Hospital, Woodlands Drive, Scarborough, YO12 6QL, telephone 01723 385141.

Teaching, training and research

Our Trust is committed to teaching, training and research to support the development of health and healthcare in our community. Healthcare students may observe consultations for this purpose. You can opt out if you do not want students to observe. We may also ask you if you would like to be involved in our research.

Patient Advice and Liaison Service (PALS)

PALS offers impartial advice and assistance to patients, their relatives, friends and carers. We can listen to feedback (positive or negative), answer questions and help resolve any concerns about Trust services.

PALS can be contacted on 01904 726262, or email pals@york.nhs.uk.

An answer phone is available out of hours.

Leaflets in alternative languages or formats

Please telephone or email if you require this information in a different language or format, for example Braille, large print or audio.

如果你要求本資 不同的 或 式提供,電或發電

Jeżeli niniejsze informacje potrzebne są w innym języku lub formacie, należy zadzwonić lub wysłać wiadomość e-mail

Bu bilgileri değişik bir lisanda ya da formatta istiyorsanız lütfen telefon ediniz ya da e-posta gönderiniz

Telephone: 01904 725566 Email: access@york.nhs.uk

Owner Mr Srinivas Chintapatla, Consultant Surgeon

Date first issued November 2020 Review Date November 2023

Version 1 (issued November 2020)

Approved by Surgical MDT
Document Reference PIL 1480 v1

© 2023 York and Scarborough Teaching Hospitals NHS Foundation Trust.

All Rights reserved