



York Teaching Hospital
NHS Foundation Trust

Enhanced Recovery after Caesarean Section

Information for patients, relatives and carers

Maternity Services

① For more information, please contact your midwife

Caring with pride

Contents	Page
Introduction to the enhanced recovery programme.....	5
Preparations for your Caesarean Section	6
Day prior to surgery:	7
Day of surgery:	8
During Caesarean Section	9
Recovering after your Caesarean Section	9
At home.....	10
Contact numbers	10
Visiting times	10
Tell us what you think of this leaflet	11
Teaching, Training and Research	11
Patient Advice and Liaison Service (PALS).....	11

Introduction to the enhanced recovery programme

The enhanced recovery programme aims to improve the care provided to women and decrease the length of hospital stay following elective caesarean section delivery. We are trying to naturalise the process and improve the patient experience and satisfaction. This means that you will be offered to go home after 24 hours (next day) following planned elective caesarean sections.

You have been given this option because we anticipate that your caesarean section will be straight forward and you wish to go home at the earliest opportunity. The benefit of early discharge after surgery is minimal disruption to your family life, and there are not known to be any increased risks for you or your baby.

Preparations for your Caesarean Section

At antenatal clinic - once the decision for a caesarean delivery is made, you will be provided with **caesarean section and enhanced recovery patient information leaflets** and you will be assessed for whether or not you are suitable for next day discharge.

Day prior to surgery:

At pre-assessment you will be given advice on pre-operative fasting and a prescription for some medication you will need before your caesarean section.

This will include:

Evening prior to surgery;

- You can eat a carbohydrate- rich supper (such as rice, pasta or pizza).
- At 10:00 pm take Ranitidine (an antacid) 150 mg.
- You can eat light diet (such as toast and cereal) until midnight.

Day of surgery:

- You are advised to take **No more food after midnight and continue to drink water only.**
- At 06:00 am take Ranitidine (an antacid) 150 mg and Metoclopramide (anti sickness tab) 10 mg.
- At 07:00 am you can drink **one** of the following to enhance recovery:
Black tea/coffee (max 400 mls) + **two sugars** – with small amount of milk (15 mls/one tablespoon)
Fruit squash (max – 400 mls),
Clear apple juice (max 400 mls)
- **No more food or fluid after 07:00 am.**
- Bring a dressing gown that will keep you warm and inform staff if you feel cold. It is important to keep warm to reduce the risk of postoperative complications.

If your surgery is at York hospital, please attend ward G2 promptly at 07.30 am.

If you are going to be delayed please call 01904 726002.

If your surgery is at Scarborough hospital, please attend the Labour ward promptly at 07.30 am.

If you are going to be delayed please call 01723 342124.

During Caesarean Section

The majority of elective caesarean sections are straight forward, but like any other significant operation there are risks involved. If there are any complications during your caesarean section it may not be appropriate for you to go home the next day. Your surgeon will inform you if this is the case.

Recovering after your Caesarean Section

You should begin to eat and drink as soon as you feel able to after the caesarean section, this will help your body to recover quickly. A caesarean section is a major abdominal operation and pain following the operation is to be expected. You will usually have been given a painkiller by suppository whilst in the operating theatre and you will be offered regular pain relief on the post-natal ward. As soon as possible after your operation, the staff will help you to have a wash and sit out of bed. This is important to reduce the risk of thrombosis (blood clots). Once you have got up and out of bed and after six hours from your operation, your catheter can be removed and the midwife will make sure you are able to pass urine properly.

You will be given assistance to care for and feed your baby on ward if you need it and a midwife will check you are happy with this before you are discharged.

At home

You will be provided with painkillers to take home. You can take painkillers for as long as you need them. You will be visited by a community midwife the day after you go home. If you have any concerns or questions when you are home you should contact us by phoning the labour ward of the hospital where you had your operation.

Contact numbers

York Hospital Triage:	01904 725924
York Hospital Labour ward:	01904 726004
Scarborough Hospital Labour ward:	01723 342124

Visiting times

Day of Surgery

15.00 pm to 20.00 pm (partners only before 15.00 pm).

Day after Surgery

11.00 am to 20.00 pm.

These are the normal visiting times for our hospitals.

Tell us what you think of this leaflet

We hope that you found this leaflet helpful. If you would like to tell us what you think, please contact:

Maternity Services Patient Information Group,
c/o Patient Leaflet Team, Healthcare Governance,
The York Hospital, 98 Union Terrace, York, YO31 7ES,
telephone 01904 721045 or 725230 or email us at
patient.information2@york.nhs.uk.

Teaching, Training and Research

Our Trust is committed to teaching, training and research to support the development of health and healthcare in our community. Healthcare students may observe consultations for this purpose. You can opt out if you do not want students to observe. We may also ask you if you would like to be involved in our research.

Patient Advice and Liaison Service (PALS)

PALS offers impartial advice and assistance to patients, their relatives, friends and carers. We can listen to feedback (positive or negative), answer questions and help resolve any concerns about Trust services.

PALS can be contacted on 01904 726262, or email
pals@york.nhs.uk.

An answer phone is available out of hours.

Please telephone or email if you
require this information in a different
language or format

如果你要求本資訊是以不同的語言
或版式提供，請致電或寫電郵

Jeżeli niniejsze informacje potrzebne
są w innym języku lub formie,
należy zadzwonić lub wysłać
wiadomość e-mail

Bu bilgileri değişik bir lisanda ya da
formatta istiyorsanız lütfen telefon
ediniz ya da e-posta gönderiniz



01904 725566

email: access@york.nhs.uk



Braille



Audio e.g.
CD



Large print



Electronic

Owner

Dr K Robins, Consultant Anaesthetist

Author

Dr Chandra Pun, Specialist Registrar

Date first issued

December 2015

Review Date

October 2019

Version

3 (issued November 2017)

Approved by

Obstetrics and Gynaecology Clinical Governance Group

Document Reference

PIL 989 v3

© 2017 York Teaching Hospital NHS Foundation Trust. All Rights reserved