



York and Scarborough
Teaching Hospitals
NHS Foundation Trust

Why we have closed the ward with diarrhoea and vomiting

Information for patients, relatives and carers

① For more information, please contact:

The Infection Prevention Team

York Tel: 01904 725860

The York Hospital

Wigginton Road, York, YO31 8HE

or

Scarborough Tel: 01723 342395

Scarborough Hospital

Woodlands Drive, Scarborough, YO12 6QL



Why is the ward closed?

When a group of patients have diarrhoea or vomiting we close the ward, or part of the ward, as a precaution. This means we don't admit new patients to the ward and we avoid sending patients from this ward to other wards, hospitals, nursing or residential homes. This is to help prevent the spread of diarrhoea and vomiting to other wards and health care facilities.

What causes diarrhoea and vomiting?

Diarrhoea and vomiting can occur for a number of reasons including viral infection. For example, patients might be affected by their antibiotics or have medical problems affecting their stomach or bowels. But until we are sure of the cause we have to close all or part of the ward.

If an infection is thought to be the cause of the problem, it may be due to Norovirus, also known as “winter vomiting virus” or “gastric flu”. This is a very common infection that is easily spread when people share rooms or live or work closely together; for example in the family home, schools, at work, and in places where people gather socially. In hospitals Norovirus often starts by people bringing the virus onto the ward.

How does the virus affect people?

People affected will have diarrhoea or vomiting or both. It is unpleasant, but symptoms normally only last a day or two, and cause no lasting harm.

Hundreds of thousands of people in England catch Norovirus every year.

There is no specific treatment other than rest and plenty of fluids. Most people make a full recovery within one to two days, although you will still be carrying the germs in your gut for a further two or three days.

It can however be much more serious for people with other medical problems, and some patients may become very dehydrated and require treatment to correct this.

Should I stop visiting?

- Do not visit the hospital if you or your close family have had diarrhoea or vomiting.
- You should not visit until you have been clear of symptoms for at least 48 hours.
- If you live with someone very vulnerable to infection (for example young children, elderly or those with lowered immunity) you should not visit during an outbreak. Even if you are in good health only essential visits are advised to avoid taking the virus home.

Will I catch it if I visit?

You may do, so consider visiting only if it is essential.

What should I do when I visit?

- Please shut the door behind you when you walk onto the ward, and when you leave.
- Please wash your hands with soap and water on arrival and when you leave. There are hand wash sinks in all bays and side rooms. Please note that the hand sanitiser alone is not sufficient protection against Norovirus.
- If you are visiting more than one person in hospital, please visit the closed ward last before you go home. Please do not cut through other wards to go to and from where you need to visit as this may increase the spread of the virus and cause further ward closures.
- If you take patient's soiled clothing home with you we would suggest that you wash it separately on the hottest wash the clothing will withstand.

What are we doing to prevent spread?

- As well as restricting patient and staff movement, we increase cleaning in the affected ward areas using disinfectants instead of detergents.
- We ask all staff to wash their hands with soap and water as well as using hand sanitiser.
- We ask all staff and visitors to close all doors to the wards, bays and side rooms to prevent airborne spread of the virus.
- We display a list of all closed areas for visitors at the main entrances and it will be flagged up on the hospital website.

<https://www.yorkhospitals.nhs.uk/>

Any other questions?

Please ask the ward nurses. They will do their best to help. If they can't help, they will contact the Infection Prevention Department for you.

Tell us what you think of this leaflet

We hope that you found this leaflet helpful. If you would like to tell us what you think, please contact:

The York Hospital, Wigginton Road, York, YO31 8HE or telephone 01904 725860.

Scarborough Hospital, Woodlands Drive, Scarborough, YO12 6QL or telephone 01723 342395

Teaching, training and research

Our Trust is committed to teaching, training and research to support the development of health and healthcare in our community. Healthcare students may observe consultations for this purpose. You can opt out if you do not want students to observe. We may also ask you if you would like to be involved in our research.

Patient Advice and Liaison Service (PALS)

PALS offers impartial advice and assistance to patients, their relatives, friends and carers. We can listen to feedback (positive or negative), answer questions and help resolve any concerns about Trust services.

PALS can be contacted on 01904 726262, or email pals@york.nhs.uk.

An answer phone is available out of hours.

Leaflets in alternative languages or formats

Please telephone or email if you require this information in a different language or format, for example Braille, large print or audio.

如果你要求本資 不同的 或 式提供，電
或發電

Jeżeli niniejsze informacje potrzebne są w innym języku lub formacie, należy zadzwonić lub wysłać wiadomość e-mail

Bu bilgileri değişik bir lisanda ya da formatta istiyorsanız lütfen telefon ediniz ya da e-posta gönderiniz

Telephone: 01904 725566

Email: access@york.nhs.uk

Owner	Infection Prevention Team
Date first issued	April 2006
Review Date	November 2023
Version	7 (reissued November 2020)
Approved by	Infection Prevention Team
Document Reference	PIL 156 v7.2
© 2022 York and Scarborough Teaching Hospitals NHS Foundation Trust. All Rights reserved.	