

Treatment of Methicillin Resistant Staphylococcus Aureus (MRSA)

Information for patients, relatives and carers

① For more information, please contact:

The Infection Prevention Team

York Tel: 01904 725860

The York Hospital
Wigginton Road, York, YO31 8HE

or

Scarborough Tel: 01723 342395

Scarborough Hospital
Woodlands Drive, Scarborough, YO12 6QL



Contents	Page
You have been screened for MRSA and either:	3
Nasal Creams.....	4
Skin Washes	5
Tell us what you think of this leaflet	7

You have been screened for MRSA and either:

The results will not be available before your procedure/ surgery for you to receive sufficient suppression therapy if you are found to be positive.

Or

You have been found to be carrying (colonised with) the germ MRSA.

To minimise the risk associated with carrying MRSA on your skin you need to use one of the following nasal treatments:

Nasal Creams

Please read the leaflets accompanying the products and seek advice from your G.P. if you are allergic or hypersensitive to any of the ingredients.

Mupirocin (Bactroban) Nasal Cream

Apply this ointment to the front, inside areas of both your nostrils two times a day for five days.

Naseptin

****Naseptin contains Arachis (peanut) oil. If you are allergic to peanut or soya, do not use Naseptin.****

Apply this ointment to the front, inside area of both of your nostrils four times a day for ten days.

Skin Washes

If skin irritation develops, or any other allergic reaction, wash off immediately and contact your G.P. or the Infection Prevention Team on:
York 01904 725860
Scarborough 01723 342395

You will need only one of the following preparations:

Chlorhexidine Gluconate 4% Skin Cleanser

- Ensure that your hair and body are totally wet before applying the Chlorhexidine Gluconate 4%
- Pour the solution onto a damp cloth before applying to your skin once daily. Pay particular attention to your hair line, nose, genital area, groin and armpits. Use a clean cloth every day
- Wash using the solution for at least 60 seconds, then thoroughly rinse and dry your skin
- Use the wash on the days you take the nasal treatment

Hair Washing: Use Chlorhexidine Gluconate 4% as a shampoo and wash your hair on the first and every third day. Avoid contact with your eyes.

Use on wet hair and leave for one minute and rinse off. You can use your own shampoo and conditioner afterwards if you wish.

Octenisan Body Wash

Octenisan body wash is gentle and can be used by people with sensitive skin. Do not use Octenisan in the bath – either shower or have a strip wash.

- Ensure that your hair and body are totally wet before applying the Octenisan body wash
- Pour the solution onto a damp cloth before applying to your skin once daily. Pay particular attention to your hair line, nose, genital area, groin and armpits. Use a clean cloth every day
- Leave on for at least 60 seconds, then thoroughly rinse and dry your skin
- Use the wash on the days you take the nasal treatment

Hair Washing: Use Octenisan as a shampoo and wash your hair on the first and every third day. Avoid contact with your eyes.

Use undiluted on wet hair like a shampoo, leave for 60 seconds and rinse off. You can use your own shampoo and conditioner afterwards if you wish.

Tell us what you think of this leaflet

We hope that you found this leaflet helpful. If you would like to tell us what you think, please contact:

The Infection Prevention Team, The York Hospital,
Wigginton Road, York, YO31 8HE,
telephone 01904 725860 or email
InfectionPreventionTeam@york.nhs.uk.

Teaching, training and research

Our Trust is committed to teaching, training and research to support the development of health and healthcare in our community. Healthcare students may observe consultations for this purpose. You can opt out if you do not want students to observe. We may also ask you if you would like to be involved in our research.

Patient Advice and Liaison Service (PALS)

PALS offers impartial advice and assistance to patients, their relatives, friends and carers. We can listen to feedback (positive or negative), answer questions and help resolve any concerns about Trust services.

PALS can be contacted on 01904 726262, or email pals@york.nhs.uk.

An answer phone is available out of hours.

Leaflets in alternative languages or formats

Please telephone or email if you require this information in a different language or format, for example Braille, large print or audio.

如果你要求本資 不同的 或 式提供，電
或發電

Jeżeli niniejsze informacje potrzebne są w innym języku lub formacie, należy zadzwonić lub wysłać wiadomość e-mail

Bu bilgileri değişik bir lisanda ya da formatta istiyorsanız lütfen telefon ediniz ya da e-posta gönderiniz

Telephone: 01904 725566

Email: access@york.nhs.uk

Owner	Infection Prevention Team
Date first issued	May 2009
Review Date	November 2023
Version	7 (reissued Nov 2020)
Approved by	Infection Prevention Team
Document Reference	PIL 515 v7.5

© 2022 York and Scarborough Teaching Hospitals NHS Foundation Trust.
All Rights reserved.