



York and Scarborough
Teaching Hospitals
NHS Foundation Trust

Pregnancy of uncertain viability

An explanation for patients

**Early Pregnancy Assessment
Unit (EPAU)**

① For more information, please contact:

The York Hospital, Wigginton Road, York, YO31 8HE or
telephone 01904 726489

Or

Scarborough Hospital, Woodlands Drive, Scarborough,
YO12 6QL or telephone 01723 385134

Contents	Page
What does intrauterine pregnancy of uncertain viability on today's scan mean?	3
What will happen next?	4
What do I do at home?	4
Do I need to come to hospital if I have more bleeding or pain?	4
How will I know if I am miscarrying?	5
What happens next?.....	6
Tell us what you think of this leaflet	7
Teaching, training and research.....	7
Patient Advice and Liaison Service (PALS).....	7

On today's scan, we are unable to tell whether your pregnancy is progressing.

An explanation for patients

What does intrauterine pregnancy of uncertain viability on today's scan mean?

It means we are able to see a pregnancy sac in the womb (so not ectopic) but the sac is either too small to expect to see an embryo (the baby) or the embryo can be seen but is too small for us to expect to see a heartbeat.

Often the pregnancy is perfectly fine, it is just that on today's scan you are too early for us to see the heartbeat. This is especially likely if the scan has been done at less than six weeks since your last period or you are less pregnant than you thought. However, in some cases it may mean that the pregnancy has failed at an early stage and not developed any further. In other words, a miscarriage has occurred.

What will happen next?

To confirm what is happening we need to repeat your scan in 10 to 14 days (depending what we have seen on your first scan). We know this will be an anxious wait for you but performing a scan earlier may lead to another inconclusive result which would not be helpful.

If the pregnancy is not developing as it should it is possible that pain and bleeding may increase while waiting for the next scan.

What do I do at home?

Going home without knowing whether your pregnancy is continuing can be very difficult. If you haven't told anyone about your pregnancy this may be a good time to confide in someone who can support you. Some women prefer to continue to work because they like the distraction, others need a few days at home. This may depend on how much bleeding and pain you have.

Do I need to come to hospital if I have more bleeding or pain?

If you develop increasing cramping, lower abdominal pain and heavier bleeding it may be a sign that you are miscarrying. Sadly, there is nothing we can do in hospital to stop this from happening and you may be more comfortable staying at home if you feel confident to do so.

Paracetamol can be taken to help with pain relief, one to two tablets every four to six hours, or up to eight tablets in 24 hours. However, if at any stage the bleeding or pain become unmanageable despite painkillers you need to attend your Emergency Department immediately.

We often explain that soaking more than two large sanitary pads an hour for two consecutive hours may be a sign that you are bleeding too heavily and need to be assessed.

How will I know if I am miscarrying?

Some women may experience only light bleeding, but some describe heavy bleeding for a couple of hours with clots. This may be much more than your usual period. Some women describe period pain whilst others describe labour type contractions.

You may or may not see the pregnancy sac or tissue if you are experiencing heavy loss and if you are unsure what to do please call us. We are happy for you to bring the tissue to us and we can care for it under our hospital guidelines or discuss other options with you.

What happens next?

We would like to see you again, as arranged, so that we can rescan you. The time we need to wait between scans will depend on the stage of pregnancy your scan is showing today.

If you have further heavy bleeding, increased pain or you want advice on your symptoms you can contact us, via the telephone numbers below, and we can assess if an earlier appointment for you is necessary. Alternatively further information on signs and symptoms can be found on NHS choices (<https://www.nhs.uk/pages/home.aspx>) or from The Miscarriage Association website.

It is probably wise to avoid strenuous exercise at present. If you have any worries and would like further help or advice from this clinic, please telephone:

- York EPAU
Telephone 01904 726489
Monday to Sunday, 8am to 1pm
- York Gynaecology Assessment Unit (GAU)
Telephone 01904 726275
08:15am to 7:30pm (Use this number for out of hours enquiries)
- Scarborough EPAU
Telephone (24 hours) 01723 385134

Or you may prefer to contact your own GP or midwife.

Tell us what you think of this leaflet

We hope that you found this leaflet helpful. If you would like to tell us what you think, please contact:

Sister K. Metcalfe, Women's Health unit, The York Hospital, Wigginton Road, York, YO31 8HE or Telephone 01904 726489.

Teaching, training and research

Our Trust is committed to teaching, training and research to support the development of health and healthcare in our community. Healthcare students may observe consultations for this purpose. You can opt out if you do not want students to observe. We may also ask you if you would like to be involved in our research.

Patient Advice and Liaison Service (PALS)

PALS offers impartial advice and assistance to patients, their relatives, friends and carers. We can listen to feedback (positive or negative), answer questions and help resolve any concerns about Trust services.

PALS can be contacted on 01904 726262, or email pals@york.nhs.uk.

An answer phone is available out of hours.

Leaflets in alternative languages or formats

Please telephone or email if you require this information in a different language or format, for example Braille, large print or audio.

如果你要求本資 不同的 或 式提供 , 電
或發電

Jeżeli niniejsze informacje potrzebne są w innym języku lub formacie, należy zadzwonić lub wysłać wiadomość e-mail

Bu bilgileri değişik bir lisanda ya da formatta istiyorsanız lütfen telefon ediniz ya da e-posta gönderiniz

Telephone: 01904 725566

Email: access@york.nhs.uk

Owner	Sister K Metcalfe Miss S Ghosh, Consultant Gynaecology and Obstetrician
Date first issued	November 2003
Review Date	June 2025
Version	12 (issued June 2022)
Approved by	Obstetrics and Gynaecology Clinical Governance Group
Document Reference	PIL 62 v12
© 2022 York and Scarborough Teaching Hospitals NHS Foundation Trust. All Rights reserved.	