

Patient Held Urinary Catheter Passport

Name

Looking After Your
Urinary Catheter
For You And Your
Nursing Team

Patient details

	Name		
	NHS No.		
Patient	Allergy Status	PLEASE STATE IF THERE	ARE ANY KNOWN ALLERGIES
Pat	Address		
	Postcode		
₹	Name		
Community Nurse	Address		
O	Tel No		
	Name		
GP	Address		
	Tel No		
	Name		
Clinic / Hospital	Address		
	Tel No		
Date	of discharge	transfer	Home pack given
			YN

Introduction

The purpose of this booklet is to give you advice on looking after your urinary catheter. If you have a catheter appointment at your GP surgery or hospital, you should take this booklet with you. The second half of this booklet will be completed by nursing staff to ensure your continuity of care.

What is a urinary catheter?

A catheter is a flexible hollow tube used to drain urine from the bladder. The catheter is inserted into the urethra (the opening of which is situated at the tip of the penis or just above the vagina) or through a hole made in the abdomen (suprapubic catheter).

The catheter is then guided into the bladder, allowing urine to flow through it and into a drainage bag which will be attached to your leg. Some people may have a valve at the end of the catheter instead of a drainage bag.

What should I do if I have pain and discomfort?

Lower abdominal or tummy pain can be experienced when a catheter is first inserted. If this continues, contact your Community Nurse for advice.

When will my catheter need changing?

Your Community Nurse will advise you on how often your catheter needs changing and also how to obtain further supplies of catheter equipment.

How do I look after my catheter on a daily basis?

- Empty the leg bag when it is two thirds full of urine.
- If you have a valve attached to your catheter instead of a leg bag, you should open the valve and empty your bladder:
 - when you feel that it is full
 - before going to bed
 - first thing in the morning
 - during the night if necessary
 - at least every three to four hours during the day
 - before opening your bowels
- Replace the leg bag or valve once a week.
- To help prevent infection, only disconnect the leg bag or valve weekly when it is replaced with a new one.
- At night, attach a single use, pull bottom night bag.
 Place night bag on stand. Remember to open the valve to your catheter valve or leg bag valve, which is now connected to the night bag.
- Close the leg bag or catheter valve and remove the night bag every morning and dispose of it (see page 8).
- If you have a stabilisation device for your catheter placed on the thigh, please make sure you have been told how to change or remove it correctly. Please ensure the stabilization device (known as Statlock) is changed once per week. Ask your district nurse for supplies.

 If you have a suprapubic catheter (a catheter through your lower abdomen) and there is a small leakage around the insertion site, you will have a dressing for the first few days until the leakage has stopped. The area can be washed as described below when the dressing has been removed.

How can I reduce the risk of getting an infection?

- Wash your hands before and after touching your catheter.
- Carers and nurses must wear non sterile gloves and apron after hand washing.
- Wash the skin in the area where the catheter enters the body with mild soap and water at least twice a day.
- Men should carefully wash under the foreskin (unless you have been circumcised). Dry the area thoroughly and ensure the foreskin is replaced over the end of the penis.
- Women should always wash the genital area from front to back to prevent contamination from the back passage. Dry the area thoroughly.
- Avoid the use of talc, antiseptic, bubble bath or bath salts and creams. These can cause irritation.
- Do not remove your leg bag when you have a bath or shower, ensure that the leg bag is kept strapped to the leg throughout.

What should my urine look like?

- Ensure you drink plenty of fluids to help keep the colour of the urine light yellow.
- Some medication and foods may cause discolouration of urine. Your community nurse will be happy to discuss this with you.
- If your urine is cloudy and doesn't improve after drinking more, contact your community nurse.
- If your urine is bloodstained or has specks of blood in it, contact your community nurse.
- If you are passing bright red blood you should contact your doctor.

What should I do if my catheter is not draining or it is leaking?

- Check the drainage bag is below the level of the bladder, particularly when sitting in a low chair.
- Make sure that the tubing is not twisted or restricted by tight clothing.
- Make sure that the tubing is not pulled tight or stretched as this may restrict urine flow.
- Check that the drainage bag is connected correctly.
 Make sure that the straps, which secure the leg bag to your leg, are positioned behind the leg bag tube.
- Urine will not drain if the bag is full. Empty the bag when it is two thirds full.
- Constipation can prevent your catheter from draining. Ask your Community Nurse about eating a healthy diet to avoid constipation. Please see Understanding your bowels information leaflet - ask your nurse to supply. Ensure your diet consists of fruit, Fibre and cereal. Drink around two to three litres daily unless a fluid restriction has been advised by your health care professional
- Change your position and walk around if possible.
- If you experience any urine leakage, please contact your Community Nurse.
- Check that your catheter is draining well at regular intervals throughout the day.
- Make sure the valve or leg bag tap is open when connected to the night bag.

How do I dispose of used leg and night bag?

- Empty the contents into the toilet.
- Double wrap the bag (either in newspaper or a plastic bag).
- Never wash or re-use a night bag.
- Place into your household waste bin.

What about sex?

Sexual intercourse is possible if you take the following steps:

- Wash genitals before and after sexual intercourse.
- Men should tape their catheter along the penis and apply a condom.
- Women can tape the catheter along their abdomen.
- A suprapubic catheter can be considered for those with an active sex life.

When should I ask for help?

Your catheter should remain comfortable and painfree.

However you should contact your district nurse when:

- You experience acute lower abdominal or tummy pain.
- Urine is not draining and you have followed the simple self-help measures for two to three hours within this information booklet.
- The catheter falls out and you are unable to pass urine.
- The catheter falls out and you can pass urine.
- There is blood in your urine.
- Urine is cloudy, smelly or you have a burning sensation, which does not improve after drinking extra fluids.
- Urine is leaking around the catheter, enough to make your clothing wet, and your catheter is not draining.
- If your suprapubic (through the tummy) catheter falls out, and you cannot contact your district nurse, please go to A&E as soon as possible.

If for any reason you do not have a district nurse, please contact your family doctor.

Please bring this booklet with you for any hospital admissions.

Please ensure that this booklet is always available for staff to record information.

The purpose of this booklet is:

- 1. To ensure you have all the information required to care for your catheter, and know who to turn to if you have a problem.
- 2. To ensure there is communication about your catheter between the Community nursing team and the Hospital.
- 3. There is a written documentation of when your catheter was put in and when its next due to be changed or removed.

Catheterisation records

To be completed by nursing staff

Catheterisation records

Completion of the booklet will enhance continuity of care for the patient between both community and hospital settings.

Catheterisation details

To be completed by your nursing team.

PLEASE STATE IF THERE ARE ANY	Y KNOWN ALLERGIES
Reason for catheterisation	
Date of first catheterisation	
Catheter type and size	
Catheter Supplies pro	ovided by Hospital
Leg Bags (Script- easy® Catheter Starter Packs)	
Night Bags (Script- easy® Catheter Starter Packs)	
Catheter valves	
Planned catheter change date or removal:-	

Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature
Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature

Date	
Type of catheter	
Size	
Batch number	
Expiry date	
Reason for catheter change	
Problems	
Date of next planned change	
Signature	
Date	
Type of catheter	
Size	
Batch number	
The second section	
Expiry date	
Reason for catheter change	
Reason for	
Reason for catheter change	

Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature
Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature

Date	
Type of catheter	
Size	
Batch number	
Expiry date	
Reason for catheter change	
Problems	
Date of next planned change	
Signature	
Date	
Type of catheter	
Size	
Batch number	
The second section	
Expiry date	
Reason for catheter change	
Reason for	
Reason for catheter change	

Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature
Dete
Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature

Date	
Type of catheter	
Size	
Batch number	
Expiry date	
Reason for catheter change	
Problems	
Date of next planned change	
Signature	
Date	
Type of catheter	
Size	
Batch number	
The second section	
Expiry date	
Reason for catheter change	
Reason for	
Reason for catheter change	

Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature
Dete
Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature

Date	
Type of catheter	
Size	
Batch number	
Expiry date	
Reason for catheter change	
Problems	
Date of next planned change	
Signature	
Date	
Type of catheter	
Size	
Batch number	
The second section	
Expiry date	
Reason for catheter change	
Reason for	
Reason for catheter change	

Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature
Date
Type of catheter
Size
Batch number
Expiry date
Reason for
catheter change
Problems
Date of next
planned change
Signature

Date
Type of catheter
Size
Batch number
Expiry date
Reason for catheter change
Problems
Date of next planned change
Signature
Date
Type of catheter
Size
Batch number
Expiry date
Reason for catheter change
Problems
Date of next planned change
Signature

Tell us what you think of this leaflet

We hope that you found this leaflet helpful. If you would like to tell us what you think, please contact Bladder and bowel health service, Clementhorpe Health Centre, Cherry Street, York, YO231AP.

Teaching, training and research

Our Trust is committed to teaching, training and research to support the development of health and healthcare in our community. Healthcare students may observe consultations for this purpose. You can opt out if you do not want students to observe. We may also ask you if you would like to be involved in our research.

Patient Advice and Liaison Service (PALS)

PALS offers impartial advice and assistance to patients, their relatives, friends and carers. We can listen to feedback (positive or negative), answer questions and help resolve any concerns about Trust services.

PALS can be contacted on 01904 726262, or email yhs-patientexperienceteam@nhs.net.

An answer phone is available out of hours.

Leaflets in alternative languages or formats

If you would like this information in a different format, including braille or easy read, or translated into a different language, please speak to a member of staff in the ward or department providing your care.

Patient Information Leaflets can be accessed via the Trust's Patient Information Leaflet website: www.yorkhospitals.nhs.uk/your-visit/patient-information-leaflets/

Document reference: PIL1072

Document Owners: Benign Urology Nurse Specialist Team.

Community Bladder and Bowel Team.

Date first issued: 2018 Review date: September 2028 Version: 5 issued September 2025

Approval Group: The Chief Nurse Team

© 2025 York and Scarborough Teaching Hospitals NHS Foundation Trust. All rights reserved.